

tedavi seçeneğinin de kabul edilebilir risk oranlarıyla güvenle tercih edilebileceğini gösterdik. Ancak hasta sayımızın görece az olması, çalışmamızın randoimize olmaması ve çalışmanın tek merkezli olması nedeniyle, çalışmamızdaki bulguların desteklenmesi için daha kapsamlı, randoimize ve çok merkezli çalışmalara ihtiyaç duyulmaktadır.

Etik Kurul Onayı: Bu çalışma hastanemiz etik kurulu tarafından onaylanmıştır (Sağlık Bilimleri Üniversitesi Gazi Yaşargil Eğitim Araştırma Hastanesi Etik Kurulu, Sayı: 204, Tarih 21,10,2022). Çalışma için Helsinki Deklarasyon formu uyarınca hastanın bilgilendirilmiş onamları alınmıştır.

Çıkar Çatışması Beyanı: Yazarlar çıkar çatışması olmadığını bildirmişlerdir.

Finansal Destek: Bu çalışma herhangi bir fon tarafından desteklenmemiştir.

Declaration of Conflicting Interests: The authors declare that they have no conflict of interest.

Financial Disclosure: No financial support was received.

KAYNAKLAR

1. Howard DP, Banerjee A, Fairhead JF, et al. Population-Based Study of Incidence, Risk Factors, Outcome, and Prognosis of Ischemic Peripheral Arterial Events: Implications for Prevention. *Circulation*. 2015;132(19):1805-15.
2. Creager MA, Kaufman JA, Conte MS. Clinical practice. Acute limb ischemia. *N Engl J Med*. 2012;366(23):2198-206.
3. Earnshaw JJ, Whitman B, Foy C. National Audit of Thrombolysis for Acute Leg Ischemia (NATALI): clinical factors associated with early outcome. *J Vasc Surg*. 2004;39(5):1018-25.
4. Rutherford RB, Baker JD, Ernst C, et al. Recommended standards for reports dealing with lower extremity ischemia: revised version. *J Vasc Surg*. 1997;26(3):517-38.
5. Theodoridis PG, Davos CH, Dodos I, et al. Thrombolysis in Acute Lower Limb Ischemia: Review of the Current Literature. *Ann Vasc Surg*. 2018;52:255-62.

6. Ouriel K, Veith FJ, Sasahara AA. A comparison of recombinant urokinase with vascular surgery as initial treatment for acute arterial occlusion of the legs. Thrombolysis or Peripheral Arterial Surgery (TOPAS) Investigators. *N Engl J Med*. 1998;338(16):1105-11.
7. Enezate TH, Omran J, Mahmud E, et al. Endovascular versus surgical treatment for acute limb ischemia: a systematic review and meta-analysis of clinical trials. *Cardiovasc Diagn Ther*. 2017;7(3):264-71.
8. Gedik H, Korkmaz K, Deniz H. Periferik arter bypass cerrahisinde greft seçimi ve bu seçimin greft açıklığına katkısı. *Dicle Tıp Dergisi*. 2012; 39(3): 359-64.
9. Taha AG, Byrne RM, Avgerinos ED, et al. Comparative effectiveness of endovascular versus surgical revascularization for acute lower extremity ischemia. *J Vasc Surg*. 2015;61(1):147-54.
10. Grip O, Wanhainen A, Michaelsson K, Lindhagen L, Björck M. Open or endovascular revascularization in the treatment of acute lower limb ischaemia. *Br J Surg*. 2018;105(12):1598-606.
11. Byrne RM, Taha AG, Avgerinos E, et al. Contemporary outcomes of endovascular interventions for acute limb ischemia. *J Vasc Surg*. 2014;59(4):988-95.
12. Adıyeke L, Karagoz B. Analysis of Doppler ultrasonography and computer tomography angiography for predicting amputation level and re-amputation rate. *North Clin Istanb*. 2022;9(4):401-7.
13. Giannini D, Balbarini A. Thrombolytic therapy in peripheral arterial disease. *Curr Drug Targets Cardiovasc Haematol Disord*. 2004;4(3):249-58.
14. Results of a prospective randomized trial evaluating surgery versus thrombolysis for ischemia of the lower extremity. The STILE trial. *Ann Surg*. 1994;220(3):251-66; discussion 66-8.
15. Ouriel K, Shortell CK, DeWeese JA, et al. A comparison of thrombolytic therapy with operative revascularization in the initial treatment of acute peripheral arterial ischemia. *J Vasc Surg*. 1994;19(6):1021-30.

16. Darwood R, Berridge DC, Kessel DO, Robertson I, Forster R. Surgery versus thrombolysis for initial management of acute limb ischaemia. *Cochrane Database Syst Rev.* 2018;8(8):CD002784.
17. Obara H, Matsubara K, Kitagawa Y. Acute Limb Ischemia. *Ann Vasc Dis.* 2018;11(4):443-8.
18. Ebben HP, Yang HT, Hoksbergen AWJ, et al. Catheter-Directed Thrombolysis for Acute Limb Ischemia in an Asian Population. *Ann Vasc Surg.* 2019;55:246-50.
19. Vakhitov D, Oksala N, Saarinen E, et al. Survival of Patients and Treatment-Related Outcome After Intra-Arterial Thrombolysis for Acute Lower Limb Ischemia. *Ann Vasc Surg.* 2019;55:251-9.
20. Pemberton M, Varty K, Nydahl S, Bell PR. The surgical management of acute limb ischaemia due to native vessel occlusion. *Eur J Vasc Endovasc Surg.* 1999;17(1):72-6.
21. Leung DA, Blitz LR, Nelson T, et al. Rheolytic Pharmacomechanical Thrombectomy for the Management of Acute Limb Ischemia: Results From the PEARL Registry. *J Endovasc Ther.* 2015;22(4):546-57.
22. Temizkan V, Ucak A, Alp I, et al. Our experiences on endovascular and hybrid treatment of peripheral arterial diseases. *Turk Gogus Kalp Damar Cerrahisi Derg.* 2018;26(2):237-45.
23. Landau D, Moomey C, Fiorella D. First-in-man experience with the ReVive PV peripheral thrombectomy device for the revascularization of below-the-knee embolic occlusions. *J Endovasc Ther.* 2014;21(5):747-54.
24. Benoit E, O'Donnell TF, Jr., Kitsios GD, Iafrati MD. Improved amputation-free survival in unreconstructable critical limb ischemia and its implications for clinical trial design and quality measurement. *J Vasc Surg.* 2012;55(3):781-9.